

Quotation Request //

US Government Printing Office

Agency Publishing Services
732 North Capitol Street, NW
Washington DC 20401-0001

JACKET:347-626

Quotations are Due By:
(Eastern Time)1:00 PM on 02/06/2009
Submit Fax Quotes to:00000000

Contractors must provide mandatory taxpayer information before GPO makes payment.

Please see special notice on <http://contractorconnect.gpo.gov/>.

TITLE: Working Towards Retirement Security

QUANTITY: 1500 books (includes 50 Departmental Random "Blue Label" copies).

LIMITED PRODUCTION AREA: All production facilities must be located within a 60-mile radius of zero milestone, Washington, DC.

NOTE: CONTRACTOR may submit quotes via CONTRACTOR CONNECT or
****FAX QUOTES to 202-512-1581 **** or ***FAX QUOTES TO (202) 512-1368.*****

TRIM SIZE: 8-1/2 x 11".

PAGES: 44 pages, plus separate wrap around cover.

SCHEDULE:

Furnished Material will be available for pickup by 02/06/2009

Deliver complete (to arrive at destination) by 02/13/2009

F.O.B. destination

QUALITY LEVEL: 3 Quality Assurance Through Attributes (GPO PUB 310.1, effective May 1979 (Rev. 8-02)) applies.

DESCRIPTION:

Covers 1 & 4 print in 2-color (black & PMS 255 purple), consisting of type/line matter, type/line matter reversing out, flat-tone matter, solids, and bleed all sides. Cover 2 and 3 print in 2 colors (black & PMS 255 purple) consisting of type/line matter only. Contractor to adjust spine thickness as necessary. After printing aqueous coat covers 1 & 4.

Text prints in 2-color (black and PMS 255 purple), consisting of type/line matter, and flat-tone matter. Text is circle folioed 1-6 and paginated 1-38. Circle folioed pages 2, 4, & 6 are blank.

MATERIAL FURNISHED: Contractor to pickup at GPO. One CD-R formatted for use on a MAC (os10), using Adobe InDesign CS3, and Adobe Illustrator CS3. Files are supplied in Native Format. Fonts and bleeds are furnished. Contractor to adjust spine thickness as necessary.

One complete set of color lasers for text to be used as a visual guide.

One complete set of color lasers for Covers 1, 2, 3, & 4 to be used as a visual guide.

One previously printed similar book to be used as a general guide.

Prior to image processing, the contractor is responsible for performing a basic check (preflight) of the furnished publishing files to assure accurate output of the required reproduction image. Any errors, media damage or data corruption that might interfere with proper file imaging must be reported to the contract administrator. Contractor must notify the Government as soon as necessary in order to comply with the

shipping schedule.

In addition, the contractor is responsible for creating or altering any necessary trapping, setting proper screen angles and screen frequency, and defining file output selection for the imaging device being utilized. All furnished files must be imaged as necessary to meet assigned quality level

PAPER: * Must be in accordance with JCP Paper Specification Standards in effect on date of this order

Text: JCP Code* A262, No. 2 Coated Text, Dull-Finish, Basis Size 25 X 38" Basis Weight 100 lb.

Cover: JCP Code* L12, No. 2 Coated Cover, Gloss-Finish, Basis Size 20 X 26" Basis Weight 80 lb.

COLOR OF INK:

Black and PMS 255 Purple plus aqueous coat covers 1 & 4.

PRINT PAGE: Head to Head

MARGINS:

Covers 1 & 4 inadequate gripper.

Covers 2, 3 and text adequate gripper. Follow electronic media.

PROOFS:

One set of digital color content proofs for entire publication. At contractor's option, a film-based composite blueline may be submitted. Proofs must be created using the same Raster Image Processor (RIP) that will be used to produce the product. Proofs shall be collated with all elements in proper position (not pasted up), imaged face and back, trimmed and folded to the finished size of the product.

Pantone colors may be substituted with a similar color but may not be built out of the four process colors.

-Plus: Inkdraw down on actual production stock.

Send proofs together with the furnished media (lasers and electronic files) using the furnished revised preaddressed proof label (GPO Form 892) which must be filled in by the contractor and used on all proof packages. Send proofs directly to: Social Security Advisory Board, 400 Virginia Ave. SW, Suite 625, Washington, DC 20024. NOTE: INSIDE DELIVERY REQUIRED TO - Beverly Rollins (202-475-7700).

Contractor must call GPO Contract Compliance Section at (202) 512-0520 immediately upon sending/ delivering proofs and immediately upon notification that the proofs are available for pickup at the department.

Proofs will be withheld not more than 2 workdays from receipt in the department until they are made available for pickup by the contractor.

CONTRACTOR MUST NOT PRINT PRIOR TO RECEIVING AN "OK TO PRINT".

BINDING:

Perfect Bind on 11 inch side.

Paper Covers: Wrap around. Trim flush, Glued on, Grain must run parallel to spine.

PACKING:

Pack suitably per shipping container.

DISTRIBUTION:

Deliver 1,500 copies (includes 50 Departmental Random Blue Label copies) and all Government Furnished Material to: Social Security Advisory Board, 400 Virginia Ave. SW, Suite 625, Washington, DC 20024.

NOTE: INSIDE DELIVERY REQUIRED TO - Beverly Rollins (202-475-7700).

QUALITY ASSURANCE LEVELS AND STANDARDS: The following levels and standards shall apply to these specifications:

Inspection Levels (from ANSI/ASQC Z1.4):

(a) Non-destructive Tests -- General Inspection Level I.

(b) Destructive Tests -- Special Inspection Level S-2.

Specified Standards-- The specified standards for the attributes requiring them shall be:

ATTRIBUTE	SPECIFIED STANDARD
P-7. Type Quality and Uniformity	Approved Proofs
P-9. Solid or Screen Tints Color Match	Pantone Matching System